



佳辰控股集团有限公司

ACCESS FLOOR
Industry Leading Brand
OA 网络地板行业领军品牌
股份代码:01937.HK

佳辰地板常州有限公司

JiaChen Floor Changzhou Co., Ltd

地址:江苏省常州市武进区横林镇长虹东路 18号
Address: NO.18 Changhong East Road, Henglin Town,Wujin District,Changzhou City, Jiangsu Province,China.
咨询热线(TEL): 400-9289888
邮箱(Email): sales@jiachencn.com.cn
网址(Website): <https://www.jiachencn.com.cn/>



关注微信视频号



关注抖音号

佳辰地板常州有限公司

JiaChen Floor Changzhou Co., Ltd

OA网络活动地板行业 领军品牌
ACCESS FLOOR INDUSTRY LEADING BRAND





全球销量领先的 架空网络地板行业制造商

内装新材料一站式服务平台

THE WORLD LEADER IN SALES MANUFACTURER OF
OVERHEAD NETWORK FLOORING INDUSTRY



用户至上



低碳环保



智能高效

CORPORATE CULTURE

PROMOTING JIACHEN BRAND BY LEADING
FUTURE TECHNOLOGY

引领明日科技 成就佳辰品牌

- 公司目标 创一流企业、树一流品牌、建一流管理、造一流品质
- 质量管理 创新理念、追求卓越、迅速改善、精益求精
- 经营管理 面向世界、覆盖全国、行业争先、品牌企业
- 行为准则 着重生产安全、注重产品质量、讲究文明卫生、提升自身修养

- OBJECTIVE
BUILD THE FIRST-RATE ENTERPRISE AND TOP-RANKING BRAND
- QC PHILOSOPHY
Pursue excellence and rapid improvement and keep improving by the innovative concept
- MANAGEMENT PHILOSOPHY
Cover the whole country world-wide, try to be the first industrially and economically enterprise
- THE EMPLOYEES' BEHAVIOR
Self-cultivation with focus on production safety, product quality, civilization and hygiene



目录 | CONTENTS

企业文化 | Corporate culture

公司简介 | Company profile

资质与荣誉 | Qualification and honor



产品系列 | Product Catalog

一、网络活动地板系列	Raised access floor series
钢质网络活动地板系列 Steel raised access floor	
硫酸钙网络活动地板系列 Calcium sulphate raised access floor	
GRC 网络活动地板系列 GRC raised access floor	
二、防静电活动地板系列	Anti-static raised access floor series
钢质防静电活动地板系列 Steel anti-static raised access floor	
硫酸钙防静电活动地板系列 Calcium sulphate anti-static raised access floor	
铝合金防静电活动地板系列 Aluminum anti-static raised access floor	
防静电通风活动地板系列 Perforated anti-static raised access floor	
观察板 Observable floor	

三、地板装饰贴面系列

Raised access floor decoration series

- 三聚氰胺贴面 | High Pressure Laminate(HPL)
- 永久性防静电PVC | Homogeneous PVC
- 防静电瓷砖贴面 | Anti-static ceramic tile

四、地板配件系列

Floor accessories series

- 配套支架 | Floor pedestal
- 配套横梁 | Floor stringer
- 地板专用地插座 | Floor sockets
- 出线盒及专用起揭器 | Outlet box & floor lifter



技术与设备 | Technology and equipment

质量检测 | Quality inspection

战略合作伙伴 | Strategic partners

荣誉客户 | Honor customer list

经典案例 | Typical cases

销售网络 | Marketing network

品牌优势 | Brand advantages

配送与物流 | Distribution and logistics

公司简介 | ABOUT US

我们的品牌故事始于 1984 年，佳辰集团是一家全球销量领先的架空网络地板行业制造商和平台服务提供商，专业生产防静电地板和 OA 网络活动地板等系列产品，并承接各类数据机房安装工程，集团公司现已发展为国内架空网络地板行业最大的生产基地之一。公司集设计、开发、制造、安装、服务于一体，具有建筑装饰装修二级企业资质且具备自营进出口权。2020 年公司在香港联交所主板上市，成为国内防静电架空活动地板行业首家上市企业，为国内架空网络地板及绿色家居产业转型升级提供更大动能，推动行业数智转型升级。

公司日产各种类地板 15000 平方米，年产能达 500 万平方米，解决供应市场不断之需求。公司拥有多个核心生产厂区，总占地面积 30 公顷，拥有 5000 多平方米的现代化办公楼和近两万平方米的单个超大型现代化生产车间。同时拥有高级别的产品检测中心，并与国内知名高校联合组建了研发实验室，建立、健全了强有力的产品质量保障体系。

公司全力打造建筑新材料一站式服务平台，我们服务网络覆盖全国，平台拥有自己直属专业施工队伍，从运输安装到售后服务有完备的团队体系，做到在国内各大中心城市，售后服务人员 2 小时到达服务现场，一般事故 24 小时抢修完毕；历年来完成了国内上千项工程项目，均达到优良等级，获得了广泛的用户认可和市场占有率。“佳辰”牌系列地板产品亦畅销中东、欧美及东南亚等地，走向世界舞台。

公司先后获得“江苏省高新技术企业”、“江苏省守合同重信用企业”、“江苏省名牌企业”、“江苏省级专精特新企业”、“中国防静电装备品牌企业”、“中国数据中心十佳地坪地面材料供应商”等多项省级和国家级荣誉和奖项。同时也是防静电类相关国家及行业标准编制单位。

公司以诚信、负责、创新、团队为追求，愿与广大朋友共创美好的明天。

Our brand story began in 1984. Jiachen is a global leader in the raised access floor industry, manufacturing products such as anti-static floors and OA network raised floors, and undertaking various data center installation projects. The group has now developed into one of the largest production bases in the domestic raised access floor industry. Our company integrates design, development, manufacturing, installation, and services, holding a secondary qualification in architectural decoration and possessing independent import and export rights. In 2020, the company was listed on the Main Board of the Hong Kong Stock Exchange, becoming the first Changzhou company to go public that year, and also the first in the domestic and international raised access floor industry to do so. We provide significant momentum for the transformation and upgrading of the domestic raised access floor and green home industries, promoting the digital and intelligent transformation of the industry.

The company has a daily production capacity of 15,000 square meters of various types of floors, with an annual capacity of 5 million square meters, meeting the continuous demand of the supply market! The company owns multiple core production areas, covering a total area of 30 hectares, with more than 5,000 square meters of modern office buildings and nearly 20,000 square meters of a single large-scale modern production workshop. It also has a high-level product testing center and has established R&D laboratories and a provincial-level professional technical R&D center in collaboration with well-known domestic universities; it has established and perfected a strong product quality assurance system.

The company is dedicated to establishing a comprehensive service platform for innovative building materials. Our service network covers the entire country, and the platform has its own professional construction team, providing a comprehensive team system from transportation and installation to after-sales service. In major urban centers nationwide, our after-sales service personnel can reach the site within 2 hours, and general accidents are repaired within 24 hours. Over the years, we have completed thousands of engineering projects domestically, all achieving excellent ratings and gaining widespread user recognition and market share. "Jiachen" brand series of flooring products are also popular in the Middle East, Europe, America, and Southeast Asia, stepping onto the global stage.

The company has successively been honored as "High-tech Enterprise of Jiangsu Province," "Jiangsu Province Contract-abiding and Trustworthy Enterprise," "Jiangsu Famous Brand Enterprise," "Jiangsu Province Specialized and Innovative Enterprise," "China Anti-static Equipment Brand Enterprise," and "China's Top Ten Data Center Floor Material Supplier." It is also a drafting unit for national and industry standards related to anti-static products.

Guided by values of integrity, accountability, innovation, and teamwork, we eagerly anticipate working alongside our partners to build a brighter future.



01


网络活动地板系列
RAISED ACCESS FLOOR SERIES

钢质网络活动地板系列 | STEEL RAISED ACCESS FLOOR

OA500 钢质网络活动地板
OA500 STEEL RAISED ACCESS FLOOR




OA地板节点安装示意图
OA SERIES INSTALLATION DRAWINGS



型 号type	规 格 mm size	集中荷载 CONCENTRATED LOAD (挠度 deflection=2mm)			极限荷载(N) Ultimate Load	均布荷载(N/m²) Uniform Load	板面平整度 Flatness	相邻边垂直度 Vertical
		lb	N	Kg				
OA500-CQ	500*500*28	≥ 450	≥ 1960	≥ 200	≥ 5880	≥ 9720	≤ 0.6 mm	≤ 0.3 mm
OA500-Q	500*500*28	≥ 680	≥ 2950	≥ 300	≥ 8850	≥ 12500		
OA500-P	500*500*28	≥ 800	≥ 3560	≥ 360	≥ 10680	≥ 16000		
OA500-B	500*500*28	≥ 1000	≥ 4450	≥ 450	≥ 13350	≥ 23000		
OA500-Z	500*500*28	≥ 1250	≥ 5560	≥ 560	≥ 16680	≥ 33000		

相关节点图

网络地板线槽装配及等电位连接示意图




支撑 *Supports
带角锁四角可调支撑，四块地板共用一个支架。
Provided with corner locks and the adjustable four-cornersupports, as well as one bracket support for four floors.

特点 *Features
成型的地板带有角锁孔，以确保地板安装的整体稳固。
The holes of corner locks on the molded floor canassure the stableness of well-mounted floor.

配备 *Configuration
最终地面材料采用方块地毯、卷毯、或PVC贴面、实木地板。
The final flooring can employ square carpets, rolled carpets orPVC veneers and solid wood blocks.

适用 *Applicability
5A写字楼，智能化办公场所。
5A office buildings and intelligent office space.

性能 *Performance
全钢组合，模压成型，承载能力强，防火、防腐好。模块化设计，互换性能好，组装方便、维修快捷。
Strong in carrying capacity and good in fire preventionand corrosionresistance due to all-steel combination and compression molding forming.
Good in interchangeability, easy to assemble and fast torepairbecause of modular design.
Creating an industrial era by use of the new industrymodel.




铺装效果图
EFFECT DRAWING OF PAVEMENT

OA600 钢质网络活动地板

OA600 STEEL RAISED ACCESS FLOOR



OA600 钢质网络标准地板
规格 *Specification 600*600*33mm




OA600 钢质网络模开孔地板
开孔尺寸 *Hole Size 230*220mm
配套地插座面板尺寸 250*220mm




OA600 钢质网络模开孔地板
开孔尺寸 *Hole Size 115*115mm



包边型 四角支撑
FOLDED EDGE TYPE



包边型 四角支撑
FOLDED EDGE TYPE



铺装效果图
EFFECT DRAWING OF PAVEMENT

相关节点图 Related Details Drawing



OA600地板可任意组合安装走线槽
线槽盖板规格:600*150mm
下线槽规格:600*130*28~55mm

支撑 *Supports
带角锁四角可调支撑，四块地板共用一个支架。
Provided with corner locks and the adjustable four-corner supports,as well as one bracket support for four floors.

性能 *Performance
全钢组合，模压成型，承载能力强，防火、防腐好。模块化设计，互换性能好，组装方便、维修快捷。
Strong in carrying capacity and good in fire prevention and corrosionresistance due to all-steel combination and compression molding forming. Good in interchangeability, easy to assemble and fast to repairbecause of modular design Creating an industrial era by use ofthe new industry model.

适用 *Applicability
5A写字楼，智能化办公场所。
5A office buildings and intelligent office space.

配备 *Configuration
最终地面材料采用方块地毯、卷毯、或PVC贴面、实木地板。
The final flooring can employ square carpets, rolled carpets or PVC veneers and solid wood blocks.

特点 *Features
成型的地板带有角锁孔，以确保地板安装的整体稳固。
The holes of corner locks on the molded floor can assure the stableness of well-mounted floor.

型 号type	规 格 mm Specification	集中荷载 CONCENTRATED LOAD (挠度 deflection=2mm)			极限荷载(N) Ultimate Load	均布荷载(N/m²) Uniform Load	板面平整度 Flatness	相邻边垂直度 Vertical
		lb	N	Kg				
OA600-CQ	600*600*33	≥ 450	≥ 1960	≥ 200	≥ 5880	≥ 9720	≤ 0.6 mm	≤ 0.3 mm
OA600-Q	600*600*33	≥ 680	≥ 2950	≥ 300	≥ 8850	≥ 12500		
OA600-P	600*600*33	≥ 800	≥ 3560	≥ 360	≥ 10680	≥ 16000		
OA600-B	600*600*33	≥ 1000	≥ 4450	≥ 450	≥ 13350	≥ 23000		
OA600-Z	600*600*33	≥ 1250	≥ 5560	≥ 560	≥ 16680	≥ 33000		

硫酸钙网络活动地板系列

CALCIUM SULPHATE RAISED ACCESS FLOOR

硫酸钙网络活动地板 包钢型/STEEL-ENCAPSULATED TYPE

适用 *Applicability
5A写字楼，智能化办公场所。
5A office buildings and intelligent office space.

特点 *Features
结构新颖，承载强度高，阻燃、防腐、无污染。
Characteristic of novel structure and high bearing strength, it can retard inflaming and resistcorruption without any pollution.

性能 *Performance
硫酸钙结晶，整体强度高，耐高温、耐燃烧。
As a kind of calcium sulfate crystal, it is high inintegrated intensity and resists high temperaturand inflaming.


支撑 *Supports
四角支撑，支架高度可调。
It is equipped with supports on four corners, ofwhich height can be



型 号type	规 格 mm Specification	集中荷载 CONCENTRATED LOAD (挠度 deflection=2mm)			极限荷载(N) Ultimate Load	均布荷载(N/m²) Uniform Load	板面平整度 Flatness	相邻边垂直度 Vertical
		lb	N	Kg				
OA500W-P	500*500*26	≥800	≥ 3560	≥ 360	≥ 10680	≥ 16000	≤ 0.6 mm	≤ 0.3 mm
OA500W-B	500*500*26	≥1000	≥ 4450	≥ 450	≥ 13350	≥ 23000		
OA600W-B	600*600*30	≥1000	≥ 4450	≥ 450	≥ 13350	≥ 23000		
OA600W-Z	600*600*30	≥1250	≥ 5560	≥ 560	≥ 16680	≥ 33000		

铺装效果图

EFFECT DRAWING OF PAVEMENT



OA600W 包钢型 规格：600*600*30（mm）厚度可定制
OA500W 包钢型 规格：500*500*26（mm）厚度可定制

硫酸钙网络活动地板 生态型


CALCIUM SULPHATE RAISED ACCESS FLOOR/ ECOLOGICAL-BARE TYPE

适用 *Applicability
5A写字楼，智能化办公场所，是目前最流行的一款高档架空地板。
As one of the presently most popular high-end raised floors, it is applicable to 5A office buildingsand intelligent office space.

特点 *Features
底面粘贴镀锌钢板，承载强度好，经济环保。
The bottom surface is pasted with galvanized steel plate, which has good bearing strength,economyand environmental protection.

支撑 *Supports
四角支撑，支架高度可调。
It is equipped with supports on four corners, of which height can be adjusted.


性能 *Performance
硫酸钙结晶，整体强度高，耐高温、耐燃烧。
As a kind of calcium sulfate crystal, it is high in integrated intensity and resists high temperature and inflaming.



型 号type	规 格 mm Specification	集中荷载 CONCENTRATED LOAD (挠度 deflection=2mm)			均布荷载(N/m²) Uniform Load	板面平整度 Flatness	相邻边垂直度 Vertical
		lb	N	Kg			
OA500WS-P	500*500*28	≥800	≥ 3560	≥ 360	≥ 16000	≤ 0.6 mm	≤ 0.3 mm
OA500WS-B	500*500*30	≥1000	≥ 4450	≥ 450	≥ 23000		
OA600WS-P	600*600*28	≥800	≥ 3560	≥ 360	≥ 16000		
OA600WS-B	600*600*30	≥1000	≥ 4450	≥ 450	≥ 23000		

铺装效果图

EFFECT DRAWING OF PAVEMENT



OA600WS 生态型 规格：600*600*30（mm）厚度可定制
OA500WS 生态型 规格：500*500*30（mm）厚度可定制


GRC网络活动地板系列 I GRC RAISED ACCESS FLOOR

OA500 GRC网络活动地板 包钢型

OA500 GRC RAISED ACCESS FLOOR /STEEL-ENCAPSULATED TYPE

规格：500x500x26（mm）


型 号type	规 格 mm Specification	集中荷载 CONCENTRATED LOAD (挠度 deflection=2mm)			均布荷载(N/m²) Uniform Load	板面平整度 Flatness	相邻边垂直度 Vertical
		lb	N	Kg			
OA500G-P	500*500*26	≥ 800	≥ 3560	≥ 360	≥ 16000	≤ 0.6 mm	≤ 0.3 mm
OA500G-B	500*500*26	≥1000	≥ 4450	≥ 450	≥ 23000		



可适用于5A写字楼、智能化办公场所、公寓等
Suitable for 5A office building, intelligent office space, apartment etc.

铺装效果图

EFFECT DRAWING OF PAVEMENT




OA500 GRC网络活动地板 裸板型

OA500 GRC RAISED ACCESS FLOOR/BARE TYPE

规格：500x500x26（mm）


型 号type	规 格 mm Specification	集中荷载 CONCENTRATED LOAD (挠度 deflection=2mm)			均布荷载(N/m²) Uniform Load	板面平整度 Flatness	相邻边垂直度 Vertical
		lb	N	Kg			
OA500G-Q	500*500*26	≥ 680	≥ 2950	≥ 300	≥ 12500	≤ 0.6 mm	≤ 0.3 mm
OA500G-B	500*500*26	≥1000	≥ 4450	≥ 450	≥ 23000		



可适用于5A写字楼、智能化办公场所、公寓等
Suitable for 5A office building, intelligent office space, apartment etc.

铺装效果图

EFFECT DRAWING OF PAVEMENT



02


防静电活动地板系列

ANTI-STATIC RAISED ACCESS FLOOR SERIES



钢质防静电活动地板 | STEEL ANTI-STATIC RAISED ACCESS FLOOR

钢质防静电活动地板（有边型）

STEEL ANTI-STATIC RAISED ACCESS FLOOR/WITH TRIMS



可粘贴HPL面层、PVC面层 Available With HPL/PVC
规格：600×600×35（mm）




铺装效果图

EFFECT DRAWING OF PAVEMENT

钢质防静电活动地板（无边型）

STEEL ANTI-STATIC RAISED ACCESS FLOOR/WITHOUT TRIMS



可粘贴HPL面层、PVC面层 Available With HPL/PVC
规格：600×600×35（mm）

可粘贴陶瓷面层、石材层等 Available With CERAMIC
规格：602×602×42（mm）厚度可定制

适用*Applicability

微机室、程控机房、电子工程、航天领域等抗(防)静电场所。
The antistatic sites including computer room, program-controlled computer room, electrical engineering jobsiteand aerospaceworkplace.

特点*Features

地板全钢组合，承载强度高，防火、防腐。
Combined with all steel and characteristic of high bearingstrength, it can retard inflaming and resist corruption.

支撑*Pedestal

带横梁四周支撑，支架高度可调。
It is equipped with beam supports around, of whichheight can be adjusted.

性能*Performance

防静电指数:1×10⁶~1×10⁹，导电性能优良，抗污染、便清洗，装饰效果好。
With antistatic index of 1×10⁶~1×10⁹, it is good inelectric conductivity, resistant to pollution, easy to washand good in decorativeeffect.


型 号type	规 格 mm Specification	集中荷载 CONCENTRATED LOAD (挠度 deflection=2mm)			极限荷载(N) Ultimate Load	均布荷载(N/m²) Uniform Load	板面平整度 Flatness	相邻边垂直度 Vertical	系统电阻 QSystem Resistor
		lb	N	Kg					
FS680	600x600x35	≥ 680	≥ 2950	≥ 300	≥ 8850	≥ 12500	≤ 0.6 mm	≤ 0.3 mm	1×10 ⁴ ~1×10 ⁶ Ω 1×10 ⁶ ~1×10 ⁹ Ω
	610x610x35	≥ 800	≥ 3550	≥ 360	≥ 10680	≥ 16000			
FS800	600x600x35	≥ 800	≥ 3550	≥ 360	≥ 10680	≥ 16000			
	610x610x35	≥ 1000	≥ 4450	≥ 450	≥ 13350	≥ 23000			
FS1000	600x600x35	≥ 1000	≥ 4450	≥ 450	≥ 13350	≥ 23000			
	610x610x35	≥ 1250	≥ 5560	≥ 560	≥ 16680	≥ 33000			
FS1250	600x600x35	≥ 1250	≥ 5560	≥ 560	≥ 16680	≥ 33000			
	610x610x35	≥ 1500	≥ 6675	≥ 680	≥ 20025	≥ 43000			

硫酸钙防静电活动地板


CALCIUM SULPHATE ANTI-STATIC RAISED ACCESS FLOOR



可粘贴HPL面层、PVC面层和陶瓷、石材等
规格：600×600×32（mm）厚度可定制
Available With HPL/PVC(Customized Thickness)



可粘贴HPL面层、PVC面层和陶瓷、石材等
规格：600×600×40（mm）厚度可定制
Available With HPL/PVC/CERAMIC(Customized Thickness)




铺装效果图
EFFECT DRAWING OF PAVEMENT


相关节点图 RELATED DETAILS DRAWINGS



硫酸钙防静电活动地板组装示意图



硫酸钙防静电活动地板剖面示意图



硫酸钙防静电活动地板组成结构示意图



硫酸钙防静电活动地板连接示意图

适用*Applicability

微机室、程控机房、电子工程、航天领域等抗(防)静电场所。
The antistatic sites including computer room, program-controlled computer room, electrical engineering jobsiteand aerospaceworkplace.

特点*Features

高强度硫酸钙基板，A级防火性能。
heavy duty calcium sulphate raised floor system , Fire resistance Class A.

支撑 *Pedestal

带横梁四周支撑，支架高度可调。
It is equipped with beam supports around, of whichheight can be adjusted.


性能*Performance

防静电指数:1×10⁶~1×10⁹，导电性能优良，抗污染、便清洗，装饰效果好。
With antistatic index of 1×10⁶~1×10⁹, it is good inelectric conductivity, resistant to pollution, easy to washand good in decorativeeffect.


型 号type	规 格 mm Specification	集中荷载 CONCENTRATED LOAD (挠度 deflection=2mm)			极限荷载(N) Ultimate Load	均布荷载 (N/m²) Uniform Load	板面 平整度 Flatness	相邻边 垂直度 Vertical
		lb	N	Kg				
FS600W-B	600x600x32	≥ 1000	≥ 4450	≥ 450	≥ 13350	≥ 23000	≤ 0.6 mm	≤ 0.3 mm
FS600W-Z	600x600x32	≥ 1250	≥ 5560	≥ 560	≥ 16680	≥ 33000		
FS600W-B	600x600x35	≥ 1000	≥ 4450	≥ 450	≥ 13350	≥ 23000		
FS600W-Z	600x600x35	≥ 1250	≥ 5560	≥ 560	≥ 16680	≥ 33000		

铝合金防静电活动地板
ALUMINUM ANTI-STATIC RAISED ACCESS FLOOR

型 号type	规 格 mm size	集中荷载 CONCENTRATED LOAD (挠度 deflection=2mm)			极限荷载(N) Ultimate Load	均布荷载(N/m²) Uniform Load	板面平整度 Flatness	相邻边垂直度 Vertical
		lb	N	Kg				
FS600L-P	600x600x55	≥ 800	≥ 3560	≥ 360	≥ 10680	≥ 16000	≤ 0.6 mm	≤ 0.3 mm
FS600L-B	600x600x55	≥ 1000	≥ 4450	≥ 450	≥ 13350	≥ 23000		
FS600L-Z	600x600x55	≥ 1250	≥ 5560	≥ 560	≥ 16680	≥ 33000		
FS600L-CZ	600x600x55	≥ 1500	≥ 6675	≥ 680	≥ 20025	≥ 43000		



可粘贴HPL、PVC Availble With HPL/PVC
规格：600*600*55 厚度可定制(Customized Thickness)




适用*Applicability5A
电子厂房、洁净车间、大数据中心，是目前最流行的一款高档架空地板。
As one of the presently most popular high-end raised floors, it isapplicable to 5A office buildings and intelligent office space.
支撑 *Supports
四角支撑，支架高度可调。
It is equipped with supports on four corners, of which height can be adjusted.


特点*Features
结构新颖，承载强度高，阻燃、防腐、无污染。
Characteristic of novel structure and high bearing strength, it can retard inflaming and resist corruption without any pollution.

防静电通风活动地板系列 | PERFORATED ANTI-STATIC RAISED ACCESS FLOOR

钢质通风活动地板/规格： 600×600×35mm
STEEL PERFORATED ANTISTATIC RAISED ACCESS FLOOR



FS1000-TF通风板正面
通风率42%
panel ventilation rate(42%)



FS800-TF通风板正面
通风率20%
panel ventilation rate(20%)




FS800-TF通风板正面
通风率48%
panel ventilation rate(48%)



FS800-TF通风板正面
通风率70%
panel ventilation rate(70%)

铝合金通风活动地板/规格： 600×600×50或55mm
ALUMINUM PERFORATED ANTISTATIC RAISED ACCESS FLOOR

不带贴面款 Bare Type




通风率50%
panel ventilation rate(50%)




通风率25%
panel ventilation rate(25%)

带贴面款 With-Veneer Type



通风率25%
panel ventilation rate(25%)



通风率42%
panel ventilation rate(42%)

观察板 | Observable floor



玻璃地板 600*600 厚度可调节



铝合金可视板 600*600*50mm或55mm

型 号type	规 格 mm Specification	通风孔径 Φmm×个 /Pcs	开孔率 Ventilation Rate	集中荷载 CONCENTRATED LOAD (挠度 deflection=2mm)			极限荷载 (N) Ultimate Load	均布荷载 (N/m²) Uniform Load	板面 平整度 Flatness	相邻边 垂直度 Vertical
				lb	N	Kg				
FS800-TF	600x600	Φ10x918	20%	≥ 800	≥ 3560	≥ 360	≥ 10680	≥ 16000	≤ 0.6 mm	≤ 0.3 mm
FS800-TF	600x600	Φ16x576	32%							
FS800-TF	600x600	Φ(52x18)x200 (腰孔型)	48%							
FS800-TF	600x600	格栅	70%							
FS1000-TF	600x600	Φ22x400	42%	≥ 1000	≥ 4450	≥ 450	≥ 13350	≥ 23000		

通风板结构组合与防静电活动地板类似，但内腔是空的，无发泡填料，地板上下钢板和上表面贴面均冲制有通风孔。通风地板与防静电活动地板配套使用，用于地板下部有通风要求的场所，地板通风率为20%~70%。
The structure of the ventilated panel is similar to that of the anti-static raised floor, but its inner cavity is hollow and contains no foam filler. Both the upper and lower steel plates and the surface laminate of the floor are perforated with ventilation holes. The ventilated floor is used in conjunction with the anti-static raised floor in areas where ventilation is required beneath the floor, with a ventilation rate of 20% to 70%.

03

地板装饰贴面系列


RAISED ACCESS FLOOR DECORATION SERIES

三聚氰胺贴面

High Pressure Laminate(HPL)

适用于防静电活动地板 Applicable to Anti-static Raised Access Floor

特性*Feature
坚硬，耐热，耐磨，耐刮，耐污染，抗冲击，防水而且容易清洗的三聚氰胺表面装饰板。
适用于计算机机房、程控机房、指挥中心、监控室、多媒体教室等。
Rigid,resistant against heat,wear,scratch,pollution and impact and easy to wash,the anti-static melamine cover is applicable to such places as computer room,program-controlled,commanding room,monitoring room and multi-media classroom.




品名 Name	规格Size (mm)	备注 Remarks
三聚氰胺防静电贴面 (HPL)	600*600*0.8	可根据用户要求提供特殊规格尺寸 Special specifications and dimensions can be provided according to buyer's requirements
	600*600*1.0	
	600*600*1.2	
	600*600*1.5	
	600*600*2.0	

永久性防静电PVC


HOMOGENEOUS PVC

特性*Feature
以PVC树脂为主体，经特殊加工工艺制作而成，防静电，防尘，阻燃，耐腐蚀，耐磨，花色多。外形美观，时尚，质地柔和，舒适，具有较好的装饰效果。和钢地板粘贴效果更佳，不起泡，不翻翘，耐久牢固，特别适用于气候干燥的北方地区。适用于有防静电，防尘要求的场合，如计算机机房，程控机房，指挥中心，监控室，多媒体教室，多功能会议室等。
Based upon PVC resin,this kind of floor is made by use of special processing technology,which is characteristic of resisting static electricity,dust, flame and corrosion and more pattern and colors. Pasted with steel floor,it can produce better effect, which is especially applicable to the northern areas as well as such places as computer room, program-controlled room,commanding room,monitoring room,multi-media classroom and multifunctional conference hall.



防静电瓷砖贴面

Anti static ceramic tile



04

地板配件系列
FLOOR ACCESSORIES SERIES

配套支架
FLOOR PEDESTAL

所有地板支撑系统及附件均为佳辰集团自主生产。依据不同规格、不同型号地板的安装方法，调整、配套支撑系统。All floor support systems and accessories are independently produced by Jia Chen Group. The support systems are adjusted and matched according to the installation methods of floors of different specifications and models.



配套横梁
FLOOR STRINGER



采用四周支撑式安装地板，必须配有钢制镀锌横梁。视工程需求，确定横梁是否黏贴密封(缓冲)胶条。
The floor shall be installed by supporting around, and must be equipped with galvanized steel beams. According to the engineering requirements, determine whether the beam is stuck with sealing (buffer) adhesive tape.

规格*Specification
常用横梁570x32x21mm/570x26x22mm
加长横梁1170x32x21mm/1170x26x22mm
硫酸钙横梁 530x25x25mm

地板专用地插座
FLOOR SOCKETS

“顾客的满意是我们的荣誉”——方便客户，完善网络架空地板的智能化综合功能。集团与配套协作单位共同研制、开发了各种适用于网络架空地板的专用地插座。
"Customer satisfaction is our honor"—we facilitate customers by enhancing the intelligent integrated functionalities of network raised floors. The group, in collaboration with supporting units, has jointly developed various specialized floor sockets suitable for network raised floors.

多功能地插A型
Type A multifunctional grounding socket



规格:面板250x220mm 盒体规格230x200x80mm
材料:面板 铜/不锈钢抛光面板;压铸铝面板;冷轧钢板塑面板;
特点及功能:内置4块86型强电插座或8位118型或12位120型功能件，可强、弱电互换任意组合。

Specification: panel 250x220mm Box specification 230x200x80mm
Material: copper/stainless steel polished panel; Die-casting aluminum panel; cold rolling Steelplate plastic panel; Features and functions: Built-in 4 86 strong electrical sockets. Or 8-bit 118-type or 12-bit 120-type functional parts, which can be strong and weak. Swap any combination.

多功能地插C型
Type C multifunctional grounding socket



规格:面板220x130mm 盒体规格190x110x55mm
材料:面板 铜/不锈钢抛光面板;压铸铝面板;冷轧钢板喷塑面板;
特点及功能:内置2位118型功能件，或4位120型功能件，可强、弱电互换任意组合。

Specification: panel 250x220mm Box specification 230x200x80mm
Material: copper/stainless steel polished panel; Die-casting aluminum panel; cold rolling Steelplate plastic panel; Features and functions: Built-in 4 86 strong electrical sockets. Or 8-bit 118-type or 12-bit 120-type functional parts, which can be strong and weak. Swap any combination.

多功能地插B型
Type B multifunctional grounding socket



规格:面板180x180mm 盒体规格150x150x80mm
材料:面板 铜/不锈钢抛光面板;压铸铝面板;冷轧钢板喷塑面板;
特点及功能:内置2位118型功能件，或4位120型功能件，可强、弱电互换任意组合。

Specification: panel 180x180mm Box size 150x150x80mm
Material: copper/stainless steel polished panel; Die-casting aluminum panel; cold rolling Steel plate plastic-sprayed panel; Features and functions: Built-in 2-position 118 function parts, or 4-digit 120-type functional parts, which can be interchanged with strong and weak current in any combination.

单插 *Single-phase socket



规格:面板130x130mm 盒体规格112x112x55mm
材料:面板 铜/不锈钢抛光面板;压铸铝面板;冷轧钢板喷塑面板;
特点及功能:内置1位86型强电插座或2位120型功能件，强、弱电可互换组合。

Specification: panel 130x130mm box size 112x112x55mm
Material: copper/stainless steel polished panel; Die-casting aluminum panel; cold rolling Steel plate plastic-sprayed panel; Features and functions: Built-in 1-bit 86-type strong plug. Block or 2-position 120-type functional parts, strong and weak current can be combined interchangeably.

出线盒及专用起揭器
OUTLET BOX & FLOOR LIFTER

根据工程需求，施工现场进行地板开孔或工厂批量开孔后配送工地。开孔地板除配装专用地插座，亦可配套塑制出线盒。为便于地板安装及维修，专用的地板起揭器有单吸盘式及双吸盘式两种，也可以使用玻璃起揭器替代。
Based on engineering requirements, panels are perforated on-site or pre-drilled in bulk at the factory before being delivered to the construction site. In addition to being equipped with specialized floor sockets, the perforated floors can also be fitted with plastic outlet boxes. To facilitate floor installation and maintenance, there are two types of specialized floor lifters available: single suction cup and double suction cup styles, and glass lifters can also be used as an alternative.



技术与设备

TECHNOLOGY AND EQUIPMENT

完美工艺 领先技术 精密设备
是产品达到一流品质的重要保证

Perfect Process, Leading
Technology And Precision
Equipment Is The Important
Guarantee Of Products With
Prime Quality.



设备与技术，是增强企业整体实力、稳定员工队伍、参与市场竞争的重要保障！佳辰集团，投入大量资金，陆续更新改造、添置生产设备。目前，已相继拥有“电脑程控全自动多头碰焊”“全自动表面处理”“全自动高压静电喷涂及回收系统”“全自动水泥称重配比及充灌程控”“全自动地板清洗”“全自动硫酸钙和GRC网络活动地板生产线”等行业最先进的生产线，接轨工业4.0。同时，集团竭诚努力，开展与科技部门合作、自主研发等多途径、多渠道开发，以增加品种、扩大产能，解决供应市场不断之需求。Equipment and technology are essential for enhancing the overall strength of the enterprise, stabilizing the workforce, and participating in market competition. Jia Chen Group has invested heavily in continuously updating and adding production equipment. Currently, the group owns industry-leading production lines such as "computer-controlled fully automatic multi-head spot welding," "fully automatic surface treatment," "fully automatic high-voltage electrostatic spraying and recovery systems," "fully automatic cement weighing and batching control," "fully automatic floor cleaning," and "fully automatic calcium sulfate and GRC network raised floor production lines," aligning with Industry 4.0 standards. Simultaneously, the group earnestly cooperates with technological departments and develops through multiple channels including independent R&D, to increase product variety, expand production capacity, and meet the continuous demands of the supply market



质量检测

QUALITY INSPECTION

数量众多，品种齐全的检测设备是我们质量体系中的重要一环，它保证了每一块佳辰地板的品质。


It is essential in our quality assurance system to have a large number of and a complete range of inspection equipment, which can be used to guarantee the quality of each JiaChen floor.

品质自控 精益生产


QUALITY SELF-CONTROL IS DESIGNED FOR LEAN PRODUCTION

设立严谨的品质监控体系，组建专门的质检机构，严格把控生产、销售的各个环节重视品质管理培训，强化员工品质意识，使品质控制化被动为主动，确保每件产品都符合专业检测标准，真正实现精益生产的目标。公司严格按照ISO9000质量管理与质量保证体系模式组织生产。公司相继通过了ISO9001质量管理体系认证，国际联盟认证，国际质量体系认可与认证。钢质网络活动地板系列、硫酸钙网络活动地板系列，GRC网络活动地板系列，防静电活动地板系列等、全部达到GB/T36340-2018国家标准。

A rigorous quality monitoring system has been established, with specialized quality inspection agencies set up to strictly control all aspects of production and sales. We focus on quality management training and strengthen employees' awareness of quality to transform quality control from a passive to an active stance. This ensures that every product meets professional testing standards and truly achieves the goal of lean production. The company strictly organizes production according to the ISO9000 quality management and assurance system model. It has successively passed the ISO9001 quality management system certification and is recognized and certified by the International Alliance quality system. Our steel network raised floor series, calcium sulfate network raised floor series, GRC network raised floor series, and anti-static raised floor series all meet the GB/T36340-2018 national standard.



① 检测器具 塞尺/inspection tool ② 盐雾测试/Salt fog test ③ 平整度测试/Flatness test



④ 滚动荷载测试/Rolling load test ⑤ 沙袋冲击测试/Sandbag impact test ⑥ 集中荷载测试/Concentrated load

战略合作伙伴

STRATEGIC PARTNERS

往返眸三十年前，迎着改革开放的阳光。一叶小船，悄然扬帆，面对潮起潮落，我们精诚所致；不舍昼夜，坚持自主创新，引领科技创新；三十年来，面对每次机遇。我们怀着感恩的心，以零起点的态度，不断进取，不断开拓，我们深信，今天的努力，成就明天的辉煌...

Over the past thirty years, Jiachen has seen its growth from operating in a small workshop to now, managing a complex, innovation-driven and leading company at the fore front of technology. Jiachen has made consistent progress in the face of challenges and has seized on the opportunities. Jiachen is convinced that its present efforts will ensure future harvest.



(排名不分先后)

荣誉客户

HONOR CUSTOMER LIST

佳辰公司部分荣誉客户名录 (排名不分先后)

中国建筑一局（集团）有限公司 China Construction First Building(group)corporation Limited	湖南星宇集团有限公司 Hunan Xingyu Group Co., Ltd.
中国新兴建设开发有限责任公司 China XinXing Construction & Development Co., Ltd.	天津合生滨海房地产开发有限公司 Tianjin Hesheng Binhai Real Estate Development Co., Ltd.
中建深圳装饰有限公司 China Construction Shenzhen Decoration Co.,Ltd	青岛亚建鼎尚置业有限公司 Qingdao Yajian Dingshang Real Estate Co., Ltd.
北京智方润科技发展有限公司 Beijing Zhifang Runke Technology Development Co., Ltd.	青岛容智置业有限公司 Qingdao Rongzhi Real Estate Co., Ltd.
苏州金螳螂建筑装饰股份有限公司 Suzhou Gold Mantis Construction & Decoration Co.Ltd.	正大侨商房地产开发有限公司 Charoen Pokphand Group Company Limited
北京城建六建设集团有限公司 Beijing Chengjianliu Construction Group Co.,Ltd.	深圳市晶宫设计装饰工程有限公司 Shenzhen Jingong Design and Decoration Engineering Co., Ltd.
北京承达创建装饰工程有限公司 Beijing Chengdachuangjian Decoration Engineering Co., Ltd.	中国能源建设集团有限公司 China Energy Engineering Group Co.,Ltd.
北京鼎固鼎好实业有限公司 Beijing Dinggu Real Estate Development Co.,Ltd.	浙江亚厦装饰股份有限公司 Zhejiang Yasha Decoration Co.,Ltd.
上海今日头条科技有限公司 Shanghai Today Toutiao Technology Co., Ltd.	天津泰达发展有限公司 Tianjin Teda Development Co., Ltd.
深圳今日头条科技有限公司 Shenzhen Today Toutiao Technology Co., Ltd.	大连商品交易所管理中心 Dalian Commodity Exchange
杭州巨量引擎网络技术有限公司 Hangzhou Julian Engine Network Technology Co., Ltd.	百年人寿保险股份有限公司 AEON LIFE INSURANCE CO., LTD.
北京字节跳动网络技术有限公司 Bytedance	中信重工机械股份有限公司 CITIC Heavy Industries Co.,Ltd
广东今日头条科技有限公司 Guangdong Today Toutiao Technology Co., Ltd.	上海市建筑装饰工程集团有限公司 Shanghai Construction Decoration Engineering Group Co.,Ltd.
北京丽贝亚建筑装饰工程有限公司 Beijing Libeiya Construction Decoration Engineering Co.,Ltd.	中亿丰（苏州）绿色建筑发展有限公司 ZYF Construction Group Co., Ltd.
陕西今日头条信息科技有限公司 Shaanxi Today Toutiao Information Technology Co., Ltd.	杭州地铁武林置业有限公司 Hangzhou Metro Wulin Real Estate Co., Ltd.
北京东方雨虹防水技术股份有限公司 Beijing Oriental Yuhong Waterproof Technology Co.,Ltd.	中国平安人寿保险福分有限公司 Ping An Life Insurance Company of China, Ltd.
远洋装饰工程股份有限公司 Yuen Yeung Decoration Engineering Company Limited	杭州万科亚运村开发有限公司 PHangzhou Vanke Asian Games Village Development Co., Ltd.
北京城建亚泰建设集团有限公司 Beijing Urban Construction Yatai Construction Group Limited	深圳时代装饰股份有限公司 Shenzhen Style Decoration Co.,Ltd.
北京亦庄盛元投资开发有限公司 Beijing Yizhuang Shengyuan Investment and Development Group Co., Ltd.	阳光百货股份有限公司 Qingdao Sunshine Department Store Co., Ltd.
中国电建地产集团有限公司 PowerChina Real Estate Group Ltd.	华润置地（上海）有限公司 China Resources Land Limited

荣誉客户

HONOR CUSTOMER LIST

佳辰公司部分荣誉客户名录 (排名不分先后)

浙江天工装饰工程有限公司 Zhejiang Tiangong Decoration Engineering Co., Ltd.	平安不动产南京分公司 Ping An Real Estate Co., Ltd.	龙光工程建设有限公司龙光工程建设有限公司 Longguang Engineering Construction Co.,Ltd.	重庆扬帆商贸有限公司 Chongqing Yangfan Trading Co., Ltd.
浙江省武林建筑装饰集团有限公司 Zhejiang Construction Decoration Group Co., Ltd.	上海蓝天房屋装饰工程有限公司 Shanghai Lantian Decoration Engineering Co., Ltd.	深圳万科云城房地产开发有限公司 Shenzhen Vanke Yuncheng Real Estate Co., Ltd.	郑州启迪东龙科技发展有限公司 Zhengzhou Qidi Donglong Technology Development Co., Ltd.
安徽安粮置地有限公司 Anhui Anliang Real Estate Co., Ltd.	苏州圆融发展集团有限公司 Suzhou Yuanrong Development Group Co., Ltd.	广州平盈投资管理有限公司 Guangzhou Pingying Investment Management Co., Ltd.	西安汉墨置业有限公司 Xi'an Hanmo Real Estate Co., Ltd.
建峰建设集团股份有限公司 Jian Feng Construction Group Co.,Ltd.	中粮地产发展(深圳)有限公司 COFCO Property (Group) Co.,Ltd.	广州市美术装饰有限公司 Guangzhou Arts Decoration Design Company	宁波钢铁有限公司 Ningbo Iron & Steel Co., Ltd.
浙江全品建筑材料科技有限公司 Zhejiang Quanpin Building Materials Technology Co.,Ltd.	广州市第一装修有限公司 Guangzhou No.1 Renovation Co.,Ltd.	厦门海峡明珠投资开发有限公司 Xiamen Strait Pearl Investment and Development Co., Ltd.	宁波中州建设工程有限公司 Ningbo Zhongzhou Construction Engineering Co., Ltd.
上海褐石投资发展有限公司 Shanghai Brown Stone Investment and Development Co., Ltd.	深圳市鸿荣源控股（集团）有限公司 Hongrongyuan Industrial Co., Ltd.	厦门海投工程建设有限公司 Xiamen Haitou Engineering Construction Company	大连国贸中心大厦有限公司 Dalian International Trade Center Building Co., Ltd.
杭州滨绿房地产开发有限公司 Hangzhou Binlv Real Estate Development Co., Ltd.	四川长虹物业服务有限责任公司深圳分公司 Sichuan Changhong Property Services Co., Ltd. Shenzhen Branch	中国海洋石油总公司 China National Offshore Oil Corporation	江苏东科建设工程有限公司 Jiangsu Dongke Construction Engineering Co., Ltd.
上海联虹置业有限公司 Shanghai Lianhong Real Estate Co., Ltd.	深圳市建安（集团）股份有限公司 Shenzhen Construction&Installation(Group)Co.,Ltd.	广州市明和实业有限公司 Guangzhou Minghe Industrial Co., Ltd.	广州维脉电子科技有限公司 Guangzhou Weimai Electronic Technology Co., Ltd.
南京金鹰工程建设有限公司 Nanjing Golden Eagle Engineering Construction Co., Ltd.	深圳市星顺房地产开发有限公司 Xingshun Real Estate Development Co., Ltd.	交通银行股份有限公司 Bank of Communications Co., Ltd.	铭基电子技术（北京）有限公司 Mingji Electronic Technology (Beijing) Co., Ltd.
焦点科技股份有限公司 Focus Technology Co.,Ltd.	星河地产集团有限公司 Galaxy Real Estate Group Co., Ltd.	天津领筑供应链管理有限公司 Tianjin Lingzhu Supply Chain Management Co., Ltd.	深圳市宝鹰建设集团股份有限公司 Shenzhen Bauing Construction Group Co., Ltd.
南京软件谷奇创通讯科技有限公司 Nanjing Software Valley Qichuang Communication Technology Co., Ltd.	佛山市南海荣耀房地产开发有限公司 Foshan Nanhai Glory Real Estate Development Co., Ltd.	河北雄安商务服务中心有限公司 Hebei Xiong'an Business Service Center Co., Ltd..	苏州国贸嘉和建筑工程有限公司 Suzhou Guomao Jiahe Construction Engineering Co., Ltd.
阿里巴巴（中国）网络技术有限公司 Alibaba(China)Network Technology Co., Ltd.	深圳安星建设集团有限公司 Shenzhen Anxing Construction Group Co., Ltd.	湖南建工集团有限公司 Hunan Construction Engineering Group	南京华纳智能化系统工程有限公司 Nanjing Warner Intelligent System Engineering Co., Ltd.
挂号网（杭州）科技有限公司 Registered Network (Hangzhou) Co., Ltd.	新世界乐建（深圳）有限公司 New World Lejian (Shenzhen) Co., Ltd.	长沙平安财富中心有限公司 Changsha Ping An Wealth Center Co., Ltd.	汉尔姆（杭州）家具有限公司 Halumm Construction Technology Co.,Ltd.
中国电信股份有限公司南京分公司 China Telecom Stocks Co.,Ltd.	中国平安财产保险股份有限公司 Ping An Property & Casualty Insurance Company of China, Ltd.	长沙华创房地产开发有限公司 Changsha Huachuang Real Estate Development Co., Ltd.	中石化胜利建设工程有限公司 Sinopec Petroleum Construction Shengli Corporation
聚光科技（杭州）股份有限公司 Focused Photonics (Hangzhou), Inc.	安信证券股份有限公司 Essence Securities Co., Ltd.	广州城建开发装饰有限公司 Guangzhou Urban Construction Development Decoration Design Co., Ltd.	烟台市北海海洋工程技术工程有限公司 North SEA Offshore Technology (YANTAI) Co., Ltd.
杭州百大置业有限公司 Hangzhou Baida Real Estate Co., Ltd.	宝能控股（中国）有限公司 POLYGRAND (China) Limited	四川晨瑞新能源投资有限公司 Chenrui New Energy Investment Co., Ltd.	华能桂林燃气分布式能源有限责任公司 Huaneng Guilin Gas Distributed Energy Co., Ltd.
上海海华建筑装饰工程有限公司 Shanghai haihua construction & decoration engineering Co.ltd.	广铝集团有限公司 Galuminium Group Co.,Ltd.	中国建筑装饰集团有限公司 China State Decoration Group Co.,Ltd.	北京东维华电电力科技有限公司 Beijing Dongwei Huadian Power Technology Co., Ltd.
上海金港北外滩置业有限公司 Shanghai Jingang North Bund Real Estate Co.,Ltd.	深圳市金地大百汇房地产开发有限公司 Jindi Dabaihui Real Estate Development Co., Ltd.	重庆龙湖嘉凯地产开发有限公司 Chongqing Longhu Jiakai Real Estate Development Co., Ltd.	江苏省广播电视总台 Jiangsu Broadcasting Corporation
厦门中骏集团有限公司 China SCE Group Holdings Limited	深圳首龙房地产开发有限公司 Shenzhen Shoulong Real Estate Development Co., Ltd.	成都启阳恒隆置业有限公司 Chengdu Qiyang Henglong Real Estate Co., Ltd.	中核控制有限公司 China Nuclear Control System Engineering Co.Ltd.
乐建供应链管理（深圳）有限公司 Lejian Supply Chain Management (Shenzhen) Co., Ltd.	凯德（中国）企业管理有限公司 Capital And China Holdings Pteltd	传云科技（深圳）有限公司 Chuanyun Technology (Shenzhen) Co., Ltd.	

经典案例

TYPICAL CASES

成功的案例 实力的验证

SUCCESSFUL CASES ARE THE PROOF OF STRENGTH

佳辰地板集团，经过近三十年市场浪涛的搏击，积累了配套合作的丰富经验，培养了一批具有专业知识的工程管理人才，造就了一支高端写字楼工程地材销售、安装施工、售后服务一条龙的高素质团队。许多地标性高档写字楼工程相继成功的案例，佐证了佳辰公司在地板行业的市场地位！诚信、守约、负责，是佳辰今天成功的秘诀；质量、满意、服务，是佳辰追求的永恒主题！

With a rich experience accumulated over nearly three decades in the Chinese market, Jiachen Group has built strong partnership, trained engineering talents and brought up high calibre teams to support the sales,management, installation and after-sale service for high-end grade office building projects.

The successful completion of many landmark office building projects has placed Jiachen Group among the top in the floor business industry. This can be attributed to the Group's integrity, responsibility, strict compliance, continuous quality improvement,customer satisfaction and excellent service level.



SHENZHEN-CHINA RESOURCES TOWER
Construction Areas: 100000 Square Meters
Product Series: Calcium Sulphate Floor Panel

工程名称：深圳·中国华润大厦（春笋）
工程面积：100000平方米
产品系列：硫酸钙网络活动地板



SHENZHEN-CNOOC Building
Construction Areas: 83000 Square Meters
Product Series: Calcium Sulphate Floor Panel

工程名称：深圳·中海油大厦
工程面积：83000平方米
产品系列：硫酸钙网络活动地板



SHENZHEN-CITYMARK CENTRE
Construction Areas: 26000 Square Meters
Product Series: Calcium Sulphate Floor Panel

工程名称：深圳·城脉中心
工程面积：26000平方米
产品系列：硫酸钙网络活动地板



SHENZHEN-ByteDance Houhai Center
Construction Areas: 100000 Square Meters
Product Series: OA600 Steel Access Floor Panel

工程名称：深圳·字节跳动前海中心总部大厦
工程面积：100000平方米
产品系列：OA600钢质网络活动地板



GUANGZHOU-The Design Capital of Guangzhou
Construction Areas: 22000 quare Meters
Product Series: OA500 Steel Access Floor Panel

工程名称：广州·设计之都
工程面积：22000平方米
产品系列：OA500钢质网络活动地板



GUANGZHOU-Star Rive Center
Construction Areas: 42970 quare Meters、6354 quare Meters
Product Series: OA600 Steel Access Floor Panel、 Calcium Sulphate Floor Panel

工程名称：广州·星河湾集团总部
工程面积：42970平方米、6354平方米
产品系列：OA600钢质网络活动地板、硫酸钙网络活动地板



FOSHAN-Huaya Financial Center
Construction Areas: 30000 Square Meters
Product Series: OA600 Steel Access Floor Panel

工程名称：佛山·华亚金融中心
工程面积：30000平方米
产品系列：OA600钢质网络活动地板



TAIWAN-Taipei 101 building
Construction Areas: 60000 square Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 台湾·台北101大楼
工程面积: 60000平方米
产品系列: OA600钢质网络活动地板



HONGKONG-Inland Revenue Centre
Construction Areas: 40000 square Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 香港·香港税务总署
工程面积: 40000平方米
产品系列: OA600钢质网络活动地板



DALIAN-Futures Building
Construction Areas: 40000 square Meters
Product Series: OA500 Steel Access Floor Panel
工程名称: 大连·大连期货大厦
工程面积: 40000平方米
产品系列: OA500钢质网络活动地板



QINGDAO-OUYA Center
Construction Areas: 35000 square Meters
Product Series: OA500 Steel Access Floor Panel
工程名称: 青岛·欧亚中心
工程面积: 35000平方米
产品系列: OA500钢质网络活动地板



NANNING-Nanning Dragon Optical Century
Construction Areas: 97000 Square Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 南宁·龙光世纪
工程面积: 97000平方米
产品系列: OA600钢质网络活动地板



FOSHAN-AIA Central
Construction Areas: 32867 quare Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 佛山·友邦金融中心
工程面积: 32867平方米
产品系列: OA600钢质网络活动地板



Singapore-Funan Mall
Construction Areas: 20000 square Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 新加坡·阜南大厦
工程面积: 20000平方米
产品系列: OA600钢质网络活动地板



SHANGHAI-Harbor One
Construction Areas: 60000 square Meters
Product Series: OA500 Steel Access Floor Panel
工程名称: 上海·上海东方海港大厦
工程面积: 60000平方米
产品系列: OA500钢质网络活动地板



SHANGHAI-New World Garden Building
Construction Areas: 60000 square Meters
Product Series: OA500 Steel Access Floor Panel
工程名称: 上海·新世纪花园大厦
工程面积: 60000平方米
产品系列: OA500钢质网络活动地板




TIANJIN-TEDA MSD
Construction Areas: 80000 square Meters
Product Series: OA500 Steel Access Floor Panel
工程名称: 天津·泰达MSD
工程面积: 80000平方米
产品系列: OA500钢质网络活动地板



BEIJING-Wangjing Silver Peak SOHO
Construction Areas: 40000 square Meters
Product Series: OA500 Steel Access Floor Pane
工程名称: 北京·望京银峰SOHO
工程面积: 40000平方米
产品系列: OA500钢质网络活动地板



HANGZHOU-Alipay Building
Construction Areas: 56000 square Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 杭州·支付宝大楼
工程面积: 56000平方米
产品系列: OA600钢质网络活动地板



NINGBO-Ningbo Construction Bank
Construction Areas: 50000 square Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 宁波·建设银行
工程面积: 50000平方米
产品系列: OA600钢质网络活动地板



WUHAN-The Grate Wall Remittance Building
Construction Areas: 30000 square Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 武汉·长城汇
工程面积: 30000平方米
产品系列: OA600钢质网络活动地板



YANTAI-Tianma Center
Construction Areas: 45000 square Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 烟台·天马中心
工程面积: 45000平方米
产品系列: OA600钢质网络活动地板



BEIJING-China Life headquarters
Construction Areas: 30000 square Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 北京·中国人寿总部
工程面积: 30000平方米
产品系列: OA600钢质网络活动地板



SUZHOU-SUZHOU Radio And Television Station
Construction Areas: 60000 square Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 苏州·苏州广播电视台
工程面积: 60000平方米
产品系列: OA600钢质网络活动地板



CHONGQING-Jiangbeizui Amount Center
Construction Areas: 50000 square Meters
Product Series: OA500 Steel Access Floor Panel
工程名称: 重庆·江北嘴金融中心
工程面积: 50000平方米
产品系列: OA500钢质网络活动地板



QINGDAO-White Gold Plaza
Construction Areas: 38000 square Meters
Product Series: OA600 Steel Access Floor Pane
工程名称: 青岛·白金广场
工程面积: 38000平方米
产品系列: OA600钢质网络活动地板



XI'AN-Gate Of Green Metropolis
Construction Areas: 80000 square Meters
Product Series: OA500 Steel Access Floor Panel
工程名称: 西安·绿地都市之门
工程面积: 80000平方米
产品系列: OA500钢质网络活动地板



SUZHOU-Education And Development Building
Construction Areas: 40000 square Meters
Product Series: OA500 Steel Access Floor Panel
工程名称: 苏州·教育发展大厦
工程面积: 40000平方米
产品系列: OA500钢质网络活动地板



SHANGHAI-Alibaba
Construction Areas: 50000 square Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 上海·阿里巴巴
工程面积: 50000平方米
产品系列: OA600钢质网络活动地板



QINGDAO-Li Hai Plaza
Construction Areas: 35000 square Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 青岛·丽海广场
工程面积: 35000平方米
产品系列: OA600钢质网络活动地板



JI'NAN-Kerry Center
Construction Areas: 30000 square Meters
Product Series: OA600 Steel Access Floor Panel
工程名称: 济南·济南嘉里中心
工程面积: 30000平方米
产品系列: OA600钢质网络活动地板



SHENZHEN-Galaxy Twin Towers
Construction Areas: 100000 Square Meters
Product Series: OA600 Steel Access Floor Pane
工程名称: 深圳·星河world双子塔
工程面积: 100000平方米
产品系列: OA600钢质网络活动地板

销售网络

MARKETING NETWORK

通过全国各销售中心和服务商将全方位服务网络覆盖全国，佳辰牌系列产品亦畅销中东、欧美及东南亚等地，走向世界舞台。在公司战略性发展的指导下，佳辰高速发展，未来将继续与合作伙伴一起布局国内外市场，致力于打造新材料一站式服务平台。

Through various sales centers and service providers nationwide, Jiachen brand's comprehensive service network covers the whole country, and its series of products are also popular in the Middle East, Europe, America, Southeast Asia, and other places, stepping onto the world stage. Under the guidance of the company's strategic development, Jiachen is rapidly growing and will continue to collaborate with partners to expand into domestic and international markets, committed to creating a one-stop service platform for new materials.



品牌优势

BRAND ADVANTAGES

市场优势 *Market Advantages

集团每年参加世界各地举办的专业展览会、发布会，投放大型户外广告、杂志期刊广告，进行网络媒体，新媒体等推广，进一步提升品牌影响力。
The group participates in professional exhibitions and press conferences held around the world every year, places large outdoor advertisements, magazine advertisements, promotes through online media, new media, etc., and further enhances brand influence.

品类优势 * Variety Advantages

产品规格系列齐全，能满足广泛用户的需求。
The products complete in specifications can fulfill the varied requirements from customers.

品质优势 *Quality Advantages

专注于各类网络架空地板的制造、设计及研发，自建检测中心和研发中心，成为产品质量强有力的保障体系。
Jiachen ranks high quality production and continuous R&D improvement of its products as top priorities. It also has an in-house inspection and testing center equipped with the latest inspection equipment.

服务优势 *Service Advantages

覆盖全国各地销售渠道和销售网络，完备的物流配送体系，完善的售后服务保障，最大限度地确保客户利益。
Thanks to its strategic domestic partnerships in Marketing, Logistics and after-sales customer service, Jiachen can ensure an excellent high standard service to its customers.



配送与物流

DISTRIBUTION AND LOGISTICS

全新产业模式 缔造行业时代
NEW INDUSTRIAL MODEL CREATES INDUSTRY ERA



通过全国各销售中心和服务商将全方位服务网络覆盖全国，确保售后人员2小时到达服务现场，一般事故24小时抢修完毕，通过与物流企业建立战略合作关系确保我们的产品通江达海第一时间送达项目现场或指定地点，从不让等待成为难题。

Through nationwide sales centers and service providers, we have established a comprehensive service network across the country, ensuring that our after-sales staff can reach the service site within 2 hours and generally complete emergency repairs within 24 hours. By establishing strategic partnerships with logistics companies, we ensure that our products are delivered to project sites or designated locations as quickly as possible, never allowing waiting to become an issue.